

## SONORA<sup>®</sup> CEILING CLOUDS

**CONSTRUCTION:**

High density (6-7PCF) glass fiber core with faces and edges wrapped in fabric, available in 1" and 2" thicknesses.

**Sizes:** 2'x2', 2'x4', 2'x6', 2'x8', 4'x4', 4'x5', 4'x6'


**Fabric:** Guilford of Maine<sup>®</sup> FR701<sup>®</sup> 2100 or factory approved finish

**Mounting:** Suspended with cloud anchors.

**Fire Rating:** Class A

Suspended horizontally from the ceiling, Ceiling Clouds reduce reflected sound in large areas such as theaters, restaurants, arenas, shopping malls, convention centers or anywhere absorption is required.

Sonora<sup>®</sup> Ceiling Clouds meet or exceed **NRC** rating of Sonora<sup>®</sup> Wall Panels.



## SONORA<sup>®</sup> CEILING BAFFLES



**CONSTRUCTION:**

Two pieces of 7PCF glass fiber, back to back. Covered with fabric, Guilford of Maine FR701 2100.

**Thickness:** 2"      **Common Sizes:** 2'x4', 2'x8'

**Mounting:** Vertical with Metal Tabs

**Fire Rating:** Class A

Sound Absorption - Sabins Per Unit 24"x48" (D-5 Mounting)						
Thickness	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
2"	4.48	8.00	13.20	17.93	16.98	16.35